REFERENCES

Acharya S, TayaarAS, Khwaja T (2013). Cytomorphometric analysis of the keratinocytes obtained from clinically normal buccal mucosa in chronic gutkha chewers, Journal of Cranio-Maxillary Diseases; 2(2): 134-141.

Albino JEN, Lawrence SD, Tedesco LA (1994). Psychological and social effects of orthodontic treatment, Journal of Behavioral Medicine; 17(1): 81-98.

Amini F, Borzabadi Farahani A, Jafari A, Rabbani M (2008). In vivo study of metal content of oral mucosa cells in patients with and without fixed orthodontic appliances, Orthodontics & Craniofacial Research; 11: 51-56.

Angiero F, Farronato G, Dessy E, Magistro S, Seramondi R, Farronato D, Benedicenti S, Tete S (2009). Evaluation of the cytotoxic and genooxic effects of orthodontic bonding adhesives upon human gingival papillaethrough immunohistochemical expression of p53, p63 and p16, Anticancer Research; 29: 3983-3988.

Arora P, Devi P, Wazir SS (2014). Evaluation of genotoxicity in patients subjected to panoramic radiography by micronucleus assay on epithelial cells of the oral mucosa, Journal of Dentistry of Tehran University of Medical Sciences; 11(1): 47-55.

Babuta S, Garg R, Mogra K, Dagal N (2014). Cytomorphometrical analysis of exfoliated buccal mucosal cells: Effect of smoking, Acta Medica International; 1(1): 22-27.

Baranovic M, Stipetic MM, Baricevic D, Baranovic M, Cimic A, Blazevic A (2009). Acta Stomatologica Croatica; 43(2): 117-125.

Barrett JC (1993). Mechanisms of multistep carcinogenesis and carcinogen risk assessment, Environmental Health Perspectives; 100: 9-20.

Behnoud F, Torablan S, Zargaran M (2010). Relationship between oral poor hygiene and broken teeth with oral tongue squamous cell carcinoma, Acta Medica Iranica; 49(3): 159-162.

Casartelli G, Bonatti S, de Ferrari M, Scala M, Mereu P, Margarino G, Abbondandolo A (2000). Micronucleus frequencies in exfoliated buccal cells in normal oral mucosa, precancerous lesions and squamous cell carcinoma, Analytical & Quantitative Cytology & Histology; 22: 486-492.

Centers for disease controls and prevention (2014). Smoking & tobacco use, Retrieved from http://www.cdc.gov/tobacco/data_statistics/fact_sheets/fast_facts/

Chaturvedi TP, Upadhayay SN (2010). An overview of orthodontic material degradation in oral cavity, Indian Journal of Dental Research; 21(2): 275-284.

Cowpe JG, Longmore RB, Green MW (1985). Quantitative exfoliative cytology of normal oral squames; an age, site and sex-related survey, Journal of the Royal Society of Medicine; 78: 995-1004.

Dar NA, Islami F, Bhat GA, Shah IA, Makhdoomi MA, Iqbal B, Rafiq R, Lone MM, Abnet CC, Boffetta P (2013). Poor oral hygiene and risk of esophageal squamous cell carcinoma in Kashmir, British Journal of Cancer; 109: 1367-1372.

de Arruda EP, Trevilatto PC, Camargo ES, Woyceichoski IEC, Machado MAN, Vieira I, de Lima AAS (2011). Preclinical alterations of oral epithelial cells in contact with orthodontic appliances, Biomedical Papers; 155(3): 299-303. doi: *10.5507/bp.2011.043*

Ellis PE, Benson PE (2002). Potential hazards of orthodontotic treatment – What your patient should know, Dental update; 29: 492-496.

Goje SK, Rashmi G (2010). Cytomorphometric analysis for metal bracket effects for on human buccal mucosa, Indian Journal of Dental Advancvements; 2(1): 115-121.

Goncalves TS, de Menezes LM, Ribeiro LG, Lindholz CG, Medina-Silva R (2014). Differences of cytotoxicity of orthodontic bands assessed by survival tests in saccharomyces cerevisiae, BioMed Research International; Article ID 143283: doi:10.1155/2014/143283.

Goregen M, Akgul HM, Gundogdu C (2011). The cytomorphological analysis of buccal mucosa cells in smokers, Turkish Journal of Medical Sciences; 41(2): 205-210.

Hafez HS, Selim EMN, Eid FHK, Tawfik WA, Mostafa YA (2011). Cytotoxicity, genotoxicity and metal release in patients with fixed orthodontic appliances: A longitudinal in-vivo study, American Journal of Orthodontics and Dentofacial Orthopedics; 140: 298-308.

Halder A, Chakraborty T, Mandal K, Gure PK, Das S, Raychowdhury R, Ghosh AK, De M (2004). Comparative study of exfoliated oral mucosal cell micronuclei frequency in normal, precancerous and malignant epithelium, International Journal of Human Genetics; 4(4): 257-260.

Hande AH, Chaudhary MS (2010). Cytomorphometric analysis of buccal mucosa of tobacco chewers, Romanian Journal of Morphology and Embryology; 51(3): 527-532.

Hashmi S (2013). Adolescence: An age of storm and stress. Review of Arts and Humanities, 2(1), 19-33.

Heravi F, Abbaszadegan MR, Merati M, Hasanzadeh N, Dadkhah E, Ahrari F (2013). DNA damage in oral mucosa cells of patients with fixed orthodontic appliances, Journal of Dentistry, Tehran University of Medical Sciences; 10(6): 494-500.

Impellizzeri A, Palaia G, Carpenteri F,Mohsen M, Romeo U, Gallucio G (2014). Secondaries problems of oral mucosa during orthodontic treatment, Prevention & Research; Online 28 Feb: 65.

Jois HS, Kale AD, Kumar M (2010). Micronucleus as potential biomarker of oral carcinogenesis, Indian Journal of Dental Advancements; 2(2): 197- 202.

Kamath VV, Anigol P, Setlur K (2014). Micronuclei as prognostic indicators in oral cytological smears: A comparison between smokers and non smokers, Clinical Cancer Investigation Journal; 3(1): 49-54.

Kazanowska K, Halon A, Radwan-Oczko M (2014). The role and application of exfoliative cytology in the diagnosis of oral mucosa pathology – Contemporary knowledge with review of literature, Advances in Clinical and Experimental Medicine; 2: 299-305.

Kumaresan GD, Jagannathan N (2014). Exfoliative cytology – A pedective diagnostic tool, International Journal of Pharmacy and Pharmaceutical Sciences; 6(5): 1-3.

Madhavan R, Kumaraswamy M, Kailasam S, Kumar SM (2012). Genetic damage in exfoliated cells from oral mucosa of individuals exposed to X-rays after panoramic radiograph: A cross-sectional study, Journal of Indian Academy of Oral Medicine & Radiology; 24(2): 102-105.

Marques LA, Eluf-Neto J, Fugueiredo RAO, Gois-Filho JF de, Kowalski LP, Carvalho MB de, Abrahao M, Wunsch-Filho V (2008). Oral health, hygiene practises and oral cancer, Revista de Saude Publica; 42(3): 471-479.

Mikulewicz M, Chojnacka K, Kochanowska I, Dziewicka A, Janeczek M, Cieplik J, ChroszczA (2013). Cytotoxicity of nickel ions for human osteoblasts in the context of orthodontic treatment in humans and animals, Turkish Journal of Veterinary & Animal Sciences; 37: 164-169.

Mikulewicz M, Chojnacka K, Wozniak B, Downarowicz P (2012). Release of metal ions from orthodontic appliances: An in vitro study, Biological Trace Element Research; 146: 272-280.

Miller SC, Soberman A, Stahl SS (1951). Study of cornification of oral mucosa in young male adults, Journal of Dental Research; 30: 4-11.

Mohanta A, Mohanty PK, Parida G (2013). Genotoxicity of tobacco and alcohol on human oral mucosal cells, European Journal of Experimental Biology; 3(2): 503-514.

Motgi AA, Chavan MS, Diwan NN, Chowdhery A, Channe PP, Shete MV (2014). Assessment of cytogenetic damage in the form of micronuclei in oral epithelial cells in patients using smokeless and smoked form of tobacco and non-tobacco users and its relevance for oral cancer, Journal of Cancer Research and Therapeutics; 10(1): 165-170.

Nandini DB, Subramanyam RV (2011). Nuclear features in oral squamous cell carcinoma: A computer-assisted microscopic study, Journal of Oral and Maxillofacial Pathology; 15(2): 177-181.

Natarajan M, Padmanabhan S, Chitaranjan A, Narasimhan M(2011). Evaluation of the genotoxic effects of fixed appliances on oral mucosal cells and the relationship to nickel and chromium concentrations: An in-vivo study, American Journal of Orthodontics and Dentofacial Orthopedics; 140(3): 383-388.

Nefic H, Musanovic J, Kurteshi K, Prutina E, Turcalo E (2013). The effect of sex, age and cigarette smoking on micronucleus and degenerative nuclear alteration frequencies in human buccal cells of healthy Bosnian subjects; Journal of Health Sciences: 196-204.

Ogden GR, Cowpe JG, Green MW (1989). Effect of radiotherapy on oral mucosa assessed by quantitative exfoliative cytology, Journal of Clinical Pathology; 42: 940-943.

Ozcan SS, Ceylan I, Ozcan E, Kurt N, Dagsuyu IM, Canakci CF (2014). Evaluation of oxidative stress biomarkers in patients with fixed orthodontic appliances, Disease markers; Article ID 597892: doi: 10.1155/2014/597892.

Ozturk F, Yuksel S, Toy E, Kurtoglu EL, Kucuk EB (2012). Genotoxic effects of banding procedure with different orthodontic cements on human oral mucosa cells, Turkish Journal of Medical Sciences; 42(1): 1157-1165.

Pai A, Sharma RC, Naik RM, Guruprasad Y (2012). Biomonitoring of genotoxic and cytotoxic effects of gingival epithelial cells exposed to digital panoramic radiography, Journal of Orofacial Sciences; 4(2): 124-128.

Palaskar S, Jindal C (2010). Evaluation of micronuclei using Papinicolaou and May Grunwald Giemsa stain in individuals with different tobacco habits – A comparative study, Journal of Clinical and Diagnostic Research; 4: 3607-3613.

Palve DH, Tupkari JV (2008). Clinico-pathological correlation of micronuclei in oral squamous cell carcinoma by exfoliative cytology, Journal of Oral and Maxillofacial Pathology; 12(1): 2-7.

Parmar D, Indupalli AS, Sawke N, Sawke GK (2014). Cytomorphometric evaluation of alterations in buccal mucosal cells of smokers and non-smokers, International Journal of Bioassays; 3(2): 1775-1779.

Patel BP, Trivedi PJ, Brahmbhatt MM, Shukla SN, Shah PM, Bakshi SR (2009). Micronuclei and chromosomal aberrations in healthy tobacco chewers and controls: A study from Gujarat, India, Archive of Oncology; 17(1-2): 7-10.

Pereira BR, Tanaka OM, Lima AAS, Filho OG, Maruo H, Camargo ES (2008). Metal and ceramic bracket effects on human buccal mucosa epithelial cells. Angle Orthodontics; 00:373-379.

Perry JB, Zammit AP, Lewandowski AW, Bashford JJ, Dragovic AS, Perry EJ, Hayatbakhsh R, Perry CFL (2015). Sites of origin of oral cavity cancer in non-smokers vs smokers, JAMA Otolaryngol Head Neck Surg; 141(1):5-11.

Piemonte ED, Lazos JP, Brunotto M (2010). Relationship between chronic trauma of the oral mucosa, oral potentially malignant disorders and oral cancer, Journal of Oral Pathology & Medicine; 39: 513-517.

Pradeep MR, Guruprasad Y, Jose M, Saxena K, Deepa K, Prabhu V (2014). Comparative study of genotoxicity in different tobacco related habits using micronucleus assay in exfoliated buccal epithelial cells, Journal of Clinical and Diagnostic Research; 8(5): 21-24.

Rafighi A, Sohrabi A, Moghaddam SF, Moslemzadeh SH (2012). Effect of orthodontic fixed appliances on epithelial cells of lower lip oral mucosa during orthodontic treatment, Iranian Journal of Orthodontics; 7: 44-48.

Ramaesh T, Mendis BR, Ratnatunga N, Thattil RO (1999). Diagnosis of oral premalignant and malignant lesions using cytomorphometry, Odonto-Stomatologie Tropicale; 22: 23-28.

Saeed SH, Younis WH (2012). Acytopathological study of the effect of smoking on the oral epithelial cells in relation to oral health status by the micronucleus assay, Journal of College of Dentistry of University of Baghdad; 24(3): 67-70.

Salama SA, Serrana M, Au WW (1999). Biomonitoring using accessible human cells for exposure and health risk assessment, Mutation Research; 436: 99-112.

Sampaio Mei RM, Soares de Lima AA, Filho JB, Tanaka OM, Filho OG, Camargo ES (2013). A cytological analysis of the oral mucosa adjacent to orthodontic devices, European journal of general dentistry; 2: 119-123.

Sivasankari NP, Kaur S, Reddy KS, Rao KR, Kumar SJM (2012). Micronucleus assay – Screening tool in the diagnosis of oral carcinoma in tobacco users, International Journal of Pharma and Bio Sciences; 3(4): 646-651.

Stich HF, Curtis JR, Parida BB (1982). Application of the micronucleus test to exfoliated cells of high cancer risk groups: tobacco chewers, International Journal of Cancer; 30: 553-559.

Tolbert PE, Shy CM, Allen JW (1991). Micronuclei and other nuclear anomalies in buccal smears: a field test in snuff users. American Journal of Epidemiology, 134, 840-850.

Toy E, Yuksel S, Ozturk S, Karatas Oh, Yalcin M (2014). Evaluation of the genotoxicity and cytotoxicity in the buccal epithelial cells of patients undergoing orthodontic treatment with three light-cured bonding composites by using micronucleus testing, The Korean Journal of Orthodontics; 44(3): 128-135.

Vidya KB, Kalappanavar AN, Muniyappa M (2014). Genotoxic effects of panoramic radiation by assessing the frequency of micronuclei formation in exfoliated buccal epithelium, International Journal of Research in Medical Sciences; 2(2): 541-544.

Yerlagudda K, Kamath VV, Satelur K (2012). Morphological assessment of oral cytological smears before and after application of toluidine blue in smokers and non smokers, International Journal of Oral & Maxillofacial Pathology; 3(1): 8-14.